

**LIST OF FOREIGN PUBLICATIONS CONTAINING THE RESULTS  
OF STUDIES ABOUT THE PERSPECTIVES OF PLANTS AS  
HEPATOPROTECTORS**

1. A study on the hepatoprotective effect of *Andrographis Paniculata* (Burm.F) nees on mice / D.Sutha, R.Jegathambigai, P.Kumar, S.Sudhakaran // *J. Phytol.* – 2010. – Vol.2 (11). – P. 25–30.
2. Afaf I.A. Hepatoprotective effect of *Lepidium sativum* against carbontetrachloride–induced damage in rats / I.A.Afaf, H.S.Nuha, A.H. Mohammed // *Res. J. Animal Veterinary Sci.* – 2008. – № 3. – P. 20–23.
3. Agarwal S.S. Development of hepatoprotective formula–tions from plant sources. In: *Pharmacology and Therapeutics in the New Millennium*; edited by S.K.Gupta. – New Delhi: Narosa Publishing House, 2001. – P. 357–358.
4. Ali B.H. Effect of the traditional medicinal plants *Rhazya stricta*, *Balanitis aegyptiaca* and *Haplophyllum tuberculatum* on paracetamol–induced hepatotoxicity in mice / B.H.Ali, A.K.Bashir, R.A.Rasheed // *Phytother Res.* – 2001. – Vol.15(7). – P.598–603.
5. Antihepatotoxic Activity of *Xylopia phloiodora* Extracts on Some Experimental Models of Liver Injury in Rats / P.F.Moundipa, S.Ngouela, G.A.Tchamba et al. // *International Journal of Pharmacology.* – 2007. – №3. – P.74–79.
6. Antihepatotoxic potential of *Sargassum polycystum* (Phaeophyceae) on antioxidant defense status in D–galactosamine–induced hepatitis in rats / B.Meena, R.A.Ezhilan, R.Rajesh et al. // *Afr. J. Biochem. Res.* – 2008. – Vol.2(2). – P.051–055.
7. Antioxidant and hepatoprotective activities of Egyptian moraceous plants against carbon tetrachloride–induced oxidative stress and liver damage in rats / A.N.Singab, N.A.Ayoub, E.N.Ali, N.M.Mostafa // *Pharm Biol.* – 2010. – Vol. 48(11). –P.1255–1264.
8. Antioxidant and hepatoprotective activity of ethanolic and aqueous extracts of *Amorphophallus campanulatus* roxb. Tubers /J.Sanjay, D.K.Vinod, M.Neelesh, A.Vijay // *Acta Pol. Pharm.* – 2009. –Vol. 66. – №4. – P. 423–428.
9. Antioxidant effects and hepatoprotective activity of 2,5–dihydroxy–4,30–di(b–D–glucopyranosyloxy)–trans–stilbene from *Morus bombycis* Koidzumi roots on CCl<sub>4</sub>–induced liver damage /Ying–Shan Jin, Min–Jae Lee, Woong Han et al. // *Free Radical Research* – 2006.– Vol.40(9). – P.986–992.
10. Antioxidative and Hepatoprotective Effects of *Antrodia camphorata* Extract /G.Hsiao, M.–Y.Shen, K.–H.Lin et al. // *J. Agric. Food Chem.* – 2003. – Vol.51 (11). –P.3302–3308. 122.

11. Balaji R. Hepatoprotective activity of methanolic fraction of *Jatropha curcas* on aflatoxin B1 induced hepatic carcinoma /R.Balaji, V.Suba, N.Rekha, M.Deecaraman // *Int. J. Ph. Sci.* – 2009. – Vol. ( 2). – P.287–296.
12. Biswas G. Hepatoprotective activity of the ethanolic extract of *astraeus hygrometricus* (pers.) Morg / G.Biswas, S.Sarkar, K.Acharya // *Digest Journal of Nanomaterials and Biostructures.* – 2011. – Vol. 6. – № 2.– P. 637 – 641.
13. *Cassia roxburghii* seeds protect liver against toxic effects of ethanol and carbontetrachloride in rats / K.S.Arulkumaran, A.Rajasekaran, A.Ramasamy et al. // *Int. J. PharmTech. Res.* – 2009.– Vol.1(2). P.273–246.
14. Chang–Chi H. Inhibitory effect of *Solanum nigrum* on thioacetamide–induced liver fibrosis in mice / H.Chang–Chi, F.Hsun–Lang, L.Wen–Chuan. // *J. Ethnopharmacol.*– 2008. –№ 119. – P. 117–121.
15. Crude extracts of hepatoprotective plants, *Solanum nigrum* and *Cichorium intybus* inhibit free radical–mediated DNA damage / S.Sultana, S.Perwaiz, M.Iqbal, M.Athar // *J. Ethnopharmacol.* – 1995. – Vol.45. – P.189–192.
16. Development and evaluation of hepatoprotective polyherbal formulation containing some indigenous medicinal plants / P.M.Dandagi, M.B.Patil, V.S.Mastiholimath et al. // *Indian. J. Pharm. Sci.* – 2008. – Vol.70(2). – P.265–268.
17. Effects of ginseng on the blood chemistry profile of dexamethasonetreated male rats / J.H.Lin, L.S.Wu, K.T. Tsai et al. // *American journal of Chinese medicine.* – 1995.– Vol.23. – P.167–172.
18. Evaluation of hepatoprotective activity of the fruits of *Coccinia grandis* Linn / R.Vadivu, A.Krithika, C.Biplab et al. // *J. Health. Res.* – 2008. – Vol.1(3). – P.163–168.
19. Evaluation of the hepatoprotective activity of *Citrus microcarpa* Bunge (Family Rutaceae) fruit peel against acetaminophen–induced liver damage in male BFAD–Sprague Dawley rats / M.F.Casimiro, M.Gutierrez, D.R.Leano, J.N.Solidum // *Int. J. Chem. and Environmental Engineering.* – 2010. – Vol. 1. – №2. – P. 127–132.
20. Further studies on the hepatoprotective effect of *Antrodia camphorata* in submerged culture on ethanol–induced acute liver injury in rats / Z.–M. Lu, W.–Y.Tao, H.–Y.Xu et al. // *Nat.Prod.Res.* – 2011 – Vol. 25(7). –P.684–695.
21. Garba S.H. Hepatoprotective Effect of the Aqueous Root–Bark Extract of *Ficus sycomorus* (Linn) on Carbon Tetrachloride Induced Hepatotoxicity in Rats / S.H.Garba, J.Prasad, U.K.Sandabe // *Asian Network for Scientific Information.* – 2007. – Vol. (2).–P.276–281.
22. Gond N.Y. Hepatoprotective Activity of *Ficus carica* Leaf Extract on Rifampicin–Induced Hepatic Damage in Rats / N.Y. Gond, S.S.Khadabadi // *Indian Journal of Pharmaceutical Sciences.* – 2008. – Vol.70 (3). –P. 364–366.
23. Gupta N.K. Evaluation of hepatoprotective activity of *Cleome viscosa* Linn. Extract /N.K.Gupta, V.K.Dixit // *Ind. J. Pharmacol.* –2009. – Vol.41(1). – P.36–40.
24. Gupta N.K. Hepatoprotective activity of *Cleome viscosa* Linn. extract against thioacetamide–induced hepatotoxicity in rats / N.K.Gupta, V.K. Dixit// *Nat. Prod. Res.* – 2009. – Vol. 23(14). – P.1289–1297.

25. Handa S.S. Hepatoprotective activity of andrographolide from *Andrographis paniculata* against carbon tetrachloride / S.S.Handa, A.Sharma // *Indian Journal of Medical Research.* – 1990. – Vol. 92. – P.276–283.
26. Hegde K. Hepatoprotective and antioxidant effect of *Carissa spinarum* root extract against CCl<sub>4</sub> and paracetamol–induced hepatic damage in rats / K.Hegde, A.B. Joshi // *Bangladesh J. Pharmacol.* – 2010. – №5. – P.73–76.
27. Hepato Protective and Antioxidant Role of *Berberis tinctoria* Lesch Leaves on Paracetamol Induced Hepatic Damage in Rats / K.S.Murugesh, V.C.Yeligar, B.C.Maiti, T.K.Maity // *Iran. J. Pharmacol. & Therap.* – 2005. – Vol. 4. – №1.– P. 64–69.
28. Hepatocurative and antioxidant profile of HP–1, a polyherbal phytomedicine /S.A.Tasaduq, K.Singh, S.Sethi et al. // *Human & Experimental Toxicology.* – 2003.– Vol.22. – P.639,645.
29. Hepatocurative potential of sesquiterpene lactones of *Taraxacum officinale* on carbon tetrachloride induced liver toxicity in mice / A.Mahesh, R.Jeyachandran, L.Cindrella et al. // *Acta Biologica Hungarica.* – 2010.– Vol.61(2). – P. 175–190.
30. Hepatoprotective Activity of *Aerva lanata* Linn. Against Paracetamol Induced Hepatotoxicity in Rats / S.Manokaran, A.Jaswanth, S.Sengottuvelu et al. // *Research J. Pharm. and Tech.* – 2008. – Vol. 1(4). – P. 398–400.
31. Hepatoprotective activity of *Annona squamosa* (Linn) on experimental animal model // M.T.S.Saleem, A.J.M.Christina, N.Chidambaranathan et. al. // *Int. J. Applied. Res. Nat. Pro.* – 2008. – Vol.1(3). –P.1–7.
32. Hepatoprotective Activity of *Coccinia grandis* Leaves Against Carbon Tetrachloride Induced Hepatic Injury in rats /J. Anbu Jeba Sunilson, M. Muthappan, Amitava Das et al. // *International Journal of Pharmacology.*– 2009.– Vol.5(3). – P. 222–227.
33. Hepatoprotective activity of *Ficus carica* (Linn) leaf extract against carbon tetrachloride–induced hepato–toxicity in rats / M.G.Krishna, E.Pallavi, K.B.Ravi et al. // *DARU Journal of Pharmaceutical Sciences.*– 2007. – Vol.15(3).– P.162–167.
34. Hepatoprotective Activity of Licorice Water Extract against Cadmium–Induced Toxicity in Rats / Jong Rok Lee, Sook Jahr Park, Hyeung–Sik Lee et al. // *Evidence–Based Complementary and Alternative Medicine.* – 2009. –Vol.6 (2).– P. 195–201.
35. Hepatoprotective Activity of *Ricinus communis* Leaves / P.K.S.Visen, B.Shukla, G.K.Patnaik et al. // *Pharm. Biol.*– 1992.– Vol. 30.– № 4. – P.241–250.
36. Hepatoprotective activity of *Silybum marianum* and *Cichorium intybus* against thioacetamide in rat / H.Madani, M.Talebolhosseini, S.Asgary, G.H.Nader // *Pak. J. Nutrition.* – 2008. – Vol. 7(1). – P.172–176.
37. Hepatoprotective activity of two plants belonging to the Apiaceae and the Euphorbiaceae family / B.Ahmed, T.Alam, M.Varshney, S.A.Khan // *J. Ethnopharmacol.* – 2002. – Vol.79(3). – P.313–316.
38. Hepatoprotective activity of *Woodfordia fruticosa* Kurz flowers against carbon tetrachloride induced hepatotoxicity / B.K. Chandan, A.K. Saxena, S. Shukla et al. // *J. Ethnopharmacol.* –2008. – Vol.119(2). – P.218–224.

39. Hepatoprotective and anti-inflammatory activities of *Plantago major* L. / I.Turel, H.Ozbek, R.Erten et al. // *Ind. J. Pharmacol.* –2009.– Vol. 41 (3).– P. 120–124.
40. Hepatoprotective and Antioxidant Effect of *Pisonia aculeata* L. against CCl<sub>4</sub>– Induced Hepatic Damage in Rats / M.G.Palanivel, B.Rajkapoor, M.R.Kumar et al. // *Sci Pharm.* – 2008. – Vol.76. – P. 203–215.
41. Hepatoprotective and Antioxidant Effects of Ethanol Extract from *Phellinus merrillii* on Carbon Tetrachloride–Induced Liver Damage / H.–Y.Chang, W.–H.Peng, M.–J.Sheu et al. // *Am. J. Chin. Med.* – 2007. – Vol. 35(5). – P.793–804.
42. Hepatoprotective and antioxidant effects of *Morus bombycis* Koidzumi on CCl<sub>4</sub>–induced liver damage / Y.S. Jin, J.H.Sa, T.H. Shim et al. // *Biochem. Biophys. Res. Commun.* – 2005. – Vol. 329(3).– P.991–995.
43. Hepatoprotective and immunomodulatory properties of *Tinospora cordifolia* in CCl<sub>4</sub> intoxicated mature albino rats /B.Bishayi, S.Roychowdhury, S.Ghosh, M.Sengupta // *J. Toxicol. Sci.* – 2002. – Vol. 27. – №3. – P.139–146.
44. Hepatoprotective and in vivo Antioxidant Effects of *Careya arborea* against Carbon tetrachloride Induced Liver Damage in Rats // R. S.Kumar, T.Sivakumar, P.Sivakumar et al. // *Int. J. Mol. Med. Adv. Sci.* – 2005.– Vol. (4).– P. 418–423.
45. Hepatoprotective effect of *Combretum quadrangulare* and its constituents / A.H.Banskota, Y.Tezuka., I.K.Adnyana et al. // *Biol. Pharm. Bull.* 2000. – Vol. 23. – № 4. – P. 456–460.
46. Hepatoprotective effect of *Foeniculum vulgare* essential oil: A carbon-tetrachloride induced liver fibrosis model in rats // H.Özbek, S.Ugras, I.Bayram et al. // *Scand. J. Lab. Anim. Sci.* –2004. –№ 1. – Vol. 3.– P.9–17.
47. Hepatoprotective effect of *Hypericum japonicum* extract and its fractions / N.Wang, P.Li, Y.Wang et al. // *J. Ethnopharmacol.* – 2008. – Vol.116 (1). P.1–6.
48. Hepatoprotective Effect of Rooibos Tea (*Aspalathus linearis*) on CCl<sub>4</sub>– Induced Liver Damage in Rats /O.Uličná, M.Greksák, O.Vančová et al. // *Physiol. Res.* – 2003. – Vol.52.– P.461–466.
49. Hepatoprotective effect of the ethyl acetate extract of *Teucrium polium* L. against carbontetrachloride–induced hepatic injury in rats / T.K.Panovska, S.Kulevanova, I.Gjorgoski et al. // *Acta Pharm.* – 2007– Vol. 57.– P. 241–248.
50. Hepatoprotective effects of berberine on carbon tetrachloride–induced acute hepatotoxicity in rats / Y.Feng, K.Y.Siu, X.Ye et al. // *Chin. Med.* 2010. – Vol. 18. – №5.– P.33.
51. Hepatoprotective effects of *Berberis lycium*, *Galium aparine* and *Pistacia integerrima* in Carbon tetrachloride (CCl<sub>4</sub>)–treated rats // M.A.Khan, J.Shafiullah, S.A.Malik, M.Shafi // *J. Postgrad. Med. Inst.*–2008.–Vol. 22.– №2.–P.91–94.
52. Hepatoprotective effects of *Calotropis gigantea* extract against carbon tetrachloride induced liver injury in rats /G.Lodhi, H.K.Singh, K.K.Pant, Z.Hussain // *Acta Pharm.* – 2009. – Vol. 59 (1). – P.89–96.
53. Hepatoprotective effects of *Coptidis rhizoma* aqueous extract on carbon tetrachloride–induced acute liver hepatotoxicity in rats / X.Ye, Y.Feng, Y.Tong et al. // *J. Ethnopharmacol.* –2009. – Vol.124(1) – P.130–136.

54. Hepatoprotective effects of rubiadin, a major constituent of *Rubia cordifolia* Linn / G.M. Rao, C.V. Rao, P. Pushpangadan, A. Shirwaikar // *J Ethnopharmacol.* – 2006. – Vol.103(3). – P.484–90.
55. Hepatoprotective effects of *Solanum nigrum* Linn extract against CCl<sub>4</sub>-induced oxidative damage in rats / L.Hui-Mei, T.Hsien-Chun, W.Chau-Jong et al. // *Chemico-Biological Interactions* 2008.– Vol.171. – P. 283–293.
56. Hepatoprotective evaluation of *Anogeissus latifolia*: In vitro and in vivo studies / H.Pradeep, S.Khan, K.Ravikumar et al. // *World J. Gastroenterol.* – 2009. – Vol.15(38). – P.4816–4822.
57. Hepatoprotective principles of *Swertia japonica* Makino on D-galactosamine/lipopolysaccharide-induced liver injury in mice / K.Hase, J.Li, P.Basnet et al. // *Chem. Pharm. Bull.* – 1997. – Vol.45(11). – P.1823–1827.
58. Hepatoprotective properties of *Crepis rueppellii* and *Anisotes trisulcus*: two traditional medicinal plants of Yemen / J.Fleurentin, C. Hoefler, A. Lexa et al. // *J. Ethnopharmacol.* – 1986. – Vol.16(1). – P.105–111.
59. Hepatoprotective studies of a fraction from the fruits of *Terminalia belerica* Roxb. on experimental liver injury in rodents / K.K.Anand, B.Singh, A.K.Saxena et al. // *Phytotherapy Research.* – 1994. – Vol. 8 (5). – P.287–292.
60. Hepatoprotective studies on *Hedyotis corymbosa* (L.) Lam. / Sini Sadasivan, P.G.Latha, J.M.Sasikumar et al. // *J. Ethnopharmacology.* – 2006. – Vol. 106 (2).– P.245–249.
61. Khan M.A. Hepatocurative potentials of *Pistacia integerrima* in CCl<sub>4</sub>-treated rats / M.A.Khan, S.A.Malik // *Sarhad J. of Agriculture.* –2004. – Vol.20(2). – P. 279–285.
62. Kumar R.S. Hepatoprotective Effects and Antioxidant Role of *Scutia myrtina* on Paracetamol Induced Hepatotoxicity in Rats /R.S.Kumar, K.Asokkumar, N.V.Murthy// *Journal of Complementary and Integrative Medicine.* – 2011. – Vol. 8 (1). – Article 8 [Электронный ресурс]. – Режим доступа: <http://www.bepress.com/jcim/vol8/iss1/8/>.
63. Luper S. A Review of Plants Used in the Treatment of Liver Disease: Part Two / S.Luper // *Altern. Med. Rev.* – 1999. – Vol. 4(3). – P. 178–189.
64. Luper S. A Review of Plants Used in the Treatment of Liver Disease: Part 1 / S.Luper // *Altern. Med. Rev.* – 1998. – Vol.3(6). – P.410–421.
65. Madubunyi I.I. Mechanism of the Hepatoprotective Activities of the *Garcinia Hydroxybiflavanonol*, GB<sub>1</sub> / I.I.Madubunyi // *J. of Complementary and Integrative Medicine.* – 2010. – Vol. 7 (1). – Article 56 [Электронный ресурс]. – Режим доступа: <http://www.bepress.com/jcim/vol7/iss1/56/>.
66. Maheswari C. Hepatoprotective activity of “*Orthosiphon stamineus*” on liver damage caused by paracetamol in rats / C.Maheswari, R.Maryammal, R.Venkatanarayanan // *Jordan J. Biological Sciences* 2008. – Vol.1(3).– P.105–108.
67. Medicinal Plants Against Carbon Tetrachloride-Induced Hepatotoxicity in Rats /Md. Rajib Ahsan, Km Monirul Islam, Israt Jahan Bulbul et al. // *Eur. J. Sci. Res.* – 2009. –Vol.37. – №.2. – P.302–310.

68. Murugaian P. Hepato-protective activity of *Wedelia calendulacea* L. against acute hepatotoxicity in rats / P. Murugaian, V.Ramamurthy, N.Karmegam // *Res. J. Agri. & Biol. Sci.* – 2008. – Vol.4(6). – P.685–687.
69. Olaleye M.T. Acetaminophen-induced liver damage in mice: effects of some medicinal plants on the oxidative defense system / M.T.Olaleye, B.T.Rocha // *Exp. Toxicol. Pathol.* – 2008. – Vol.59(5). – P.319–327.
70. Pari L. Hepatoprotective activity of *Moringa oleifera* on antitubercular drug-induced liver damage in rats / L.Pari, N.A.Kumar // *J. Med. Food.* – 2002. – Vol.5(3). – P.171–177.
71. Pharmacology and Chemistry of a Potent Hepatoprotective Compound Picroliv Isolated from the Roots and Rhizomes of *Picrorhiza kurroa* Royle / C.V.Praveen, B.Vaishali, G. Vijayta et al. // *Current Pharmaceutical Biotechnology.* – 2009. – № 10. – P.641–649.
72. Pithayanukul P. Hepatoprotective Potential of Extracts from Seeds of *Areca catechu* and Nutgalls of *Quercus infectoria* /P.Pithayanukul, S.Nithitanakool, R.Bavovada // *Molecules* 2009. – Vol.14.– P.4987–5000.
73. Protective effect of a mixture of *Aloe vera* and *Silybum marianum* against carbon tetrachloride-induced acute hepatotoxicity and liver fibrosis / S.H. Kim, H.J. Cheon, N. Yun et al. // *J. Pharmacol Sci.* – 2009. – Vol.109(1). – P.119–127.
74. Protective effect of four Mexican plants against CCl<sub>4</sub>-induced damage on the Huh7 human hepatoma cell line //L.Torres-González L, L.E. Muñoz-Espinosa, A.M. Rivas-Estilla et al. // *Ann. Hepatol.* – 2011. – Vol.10(1). – P.73–79.
75. Protective effects of dehydrocavidine on carbon tetrachloride-induced acute hepatotoxicity in rats / T.Wang, N.L.Sun, W.D.Zhang et al. // *J.Ethnopharmacol.* – 2008.– Vol.117(2). – №8. – P.300–308.
76. Protective effects of *Flacourtia indica* aerial parts extracts against paracetamol induced hepatotoxicity in rats / M. Nazneen, A. Mazid, J.K. Kundu et al. – 2009. – *Journal of Taibah University for Science.* – Vol. 2. –P. 1–6.
77. *Radix Sophorae flavescentis* for Chronic Hepatitis B: A Systematic Review of Randomized Trials / Jianping Liu, Minghui Zhu, Rui Shi, Min Yang // *The American Journal of Chinese Medicine.* – Vol. 31. – №. 3. – P. 337–354.
78. Ranawat L. Hepatoprotective activity of ethanolic extracts of bark of *Zanthoxylum armatum* DC in CCl<sub>4</sub> induced hepatic damage in rats / L.Ranawat, J.Bhatt, J.Patel // *J. Ethnopharmacol.* –2010. – Vol.127(3). – P.777–780.
79. Rosa M.P. Hepatoprotective and inhibition of oxidative stress of *Prostechea michuacana* / M.P.G.Rosa, V.S.Rosario // *Rec. Nat. Prod.* – 2009. – Vol.3(1). – P.46–51.
80. Roy C.K. Comparative evaluation of different extracts of leaves of *Psidium guajava* Linn. for hepatoprotective activity / C.K.Roy, A.K.Das // *Pak. J. Pharm. Sci.* – 2010. – Vol.23(1).– P.15–20.
81. Sahreen S. Hepatoprotective effects of methanol extract of *Carissa opaca* leaves on CCl<sub>4</sub>-induced damage in rat /S.Sahreen, M.R. Khan, R.A.Khan // *BMC Complementary and Alternative Medicine.*– 2011.– Vol.11. – P.48.

82. Shenoy K.A. Hepatoprotective effects of Ginkgo Biloba against carbon tetrachloride induced hepatic injury in rats /K.A.Shenoy, S.N.Somayaji, K. L.Bairy // Ind. J. Pharmacol. – 2001. – Vol.33. – P.260–266.
83. Tabassum N. Hepatoprotective activity of Eclipta alba hassk. against paracetamol induced hepatocellular damage in mice / N.Tabassum, S.S.Agrawal // Experimental medicine. – 2004.– Vol. 11. – № 4. – P.278–280.
84. The hepatoprotective action of ten herbal extracts in CCl4 intoxicated liver /M.A.Rusu, M.Tamas, C.Puica et al. // Phytotherapy Research.– 2005. – Vol. 19 (9). – P.744–749.
85. The hepatoprotective effect of alcoholic extract of Annona squamosa leaves on experimentally induced liver in–jury in Swiss albino mice / D.S.Raj, J.J.Vennila, C.Aiyavu, K.Panneerselvam // Int. J. Int. Bio. – 2009. – Vol. 5(3). P.162–166.
86. Tiwari B.K. Hepatoprotective and antioxidant effect of Sphaeranthus indicus against acetaminophen–induced hepatotoxicity in rats / B.K Tiwari., R. L. Khosa // J. Pharm. Sci. & Res. – 2009. – Vol.1(2). –P.26–30.
87. Um K.J. Protective effects of a composite preparation (Samulchungkantang) of crude drugs on hepatic injury induced by toxic drugs in rats / K.J.Um, M.H. Chung // Korean Journal of Pharmacognosy. – 1995. – 26. – P.390–410.
88. Umer S. Hepatoprotective activities of two Ethiopian medicinal plants / S.Umer, K.Asres, C.Veeresham // Pharm Biol. – 2010. – Vol.48(4). – P.461–468.
89. United States Patent Application 20080138452; A 61 K 36/47 «Hepatocurative effect of emblica officinalis against CYP 450 bio–activation hepatotoxicity of drugs» / R.K.Johri, S.T.Abdullah, K.Singh et al. (India); Application Number: 12/004403; Publication Date: 06/12/2008; Filing Date:12/21/2007.
90. Vinodhini S. The hepatoprotective effect of Bael Leaves (Aegle Marmelos) in al–cohol–induced liver injury in albino rats / S.Vinodhini, S.Malairajan, B.Hazeena //Int. J. Sci. & Tech. – 2007. – Vol.2(2). – P.83–92.
91. Wagh S.S. Antioxidant and Hepatoprotective Activity of Tridax Procumbens Linn, against Paracetamol induced Hepatotoxicity in Male Albino Rats / S.S. Wagh, G. B. Shinde // Advanced Studies in Biology. – Vol. 2. – 2010. – № 3. – P.105 – 112.
92. Yun H.S. Liver protective activities of Korean medicinal plants // H.S.Yun, I.M. Chang //Korean journal of pharmacognosy. – 1980– № 11. – P.149–152.